



Model Rural Health Research Unit (MRHRU)
Department of Health Research
Ministry of Health & Family Welfare, Government of India
Khumulwng, Tripura: 799045

F.No.3(Sub.F.1)/Procurement/ MRHRU/ Trip-2018-19

Dated, Agartala the 22nd March,23

Notice Inviting Quotation

Notice inviting quotation in sealed cover is hereby invited by the Member Secretary, MRHRU Tripura State from the reputed firm/authorized distributor/agent/Dealer/Supplier Manufacturer for Supply Essential Office & Miscellanies items for use in MRHRU, Kherengbar Khumulwng, Tripura State.


The list of Office & Miscellanies items is enclosed with this notice.

Rate should be quoted in the prescribed format enclosed with the Notice.

The last date of receiving quotation is up to 4 p.m of 07-04-2023 by registered post/ Speed post/ Courier services.

Terms and Conditions

1. Quotation in sealed cover address to the Member Secretary, MRHRU, Kherengbar Khumulwng, Tripura State should reach on or before 4.00 PM of 7th April,2023 by Speed Post/Courier/Registered Post only.
2. Quotation received after stipulated date & time will be rejected.
3. On the top of envelope, Supply of reagents for use in "MRHRU, Kherengbar Khumulwng Hospital Campus, Tripura" should be mentioned and Quotationer's full name and address with phone should also be mentioned on the envelop.
4. The quotation should mention the rate of each item distinctly. Correction over use of correcting fluid in the figure, words will not be entertained/ accepted.
5. The rate should be quoted inclusive of all GST and supply should be made on F.O.R. door delivery basis.
6. The evaluation of the bids should not only be based on criteria on lowest cost alone but the quality will also be considered.
7. No enhancement in rates within the validity period of contract will be entertained.
8. The Quotation will be accepted on lowest rate and quality basis.
9. The Quotation will remain valid for one year and undersigned has reserved right to extend the validity for further period in consultation with the successful bidder.
10. Supply should be completed within 30 (Thirty) days from the date of issue of supply order.
11. A penalty @ 1% of total value must be charged for every week or part of week delay beyond the stipulated period.
12. If any items supplied are found "Not of Standard quantity" the items should be taken back and stock will have to be replaced at own cost of supplier.
13. In case of legal dispute the Jurisdiction will be the High Court of Tripura, Agartala.
14. The quotation should accompany with up to date GST registration certificate, Professional Tax clearance Certificate and PAN Card & relevant trade licenses should be provided.
15. Income tax, as per prescribed rate of the Govt. may be deducted as per existing rule.


Dr. Subrata Baidya
Member Secretary
MRHRU, Tripura State
Kherengbar, Khumulwng

Dr. Subrata Baidya
Member Secretary
MRHRU - Tripura




Model Rural Health Research Unit (MRHRU)
Department of Health Research
Ministry of Health & Family Welfare, Government of India
Khumulwng, Tripura: 799045

Miscellanies Items

SI No	Name of item	Specification/Quality	Quantity
1.	A4 Size paper reams	Standard Quality	10 No.
2.	Attendance Register (Large)	Standard Quality	5 No.
3.	Box File - Big	Standard Quality	20 No.
4.	Bread box	Standard Quality	4 No.
5.	Cello tape - Medium (1 inch)	Standard Quality	25 No.
6.	Cello tape dispenser	Standard Quality	4 No.
7.	Coconut Broomstick	Standard Quality	10 No.
8.	Colin	Standard Quality	3 No.
9.	Correction fluid	Standard Quality	5 No.
10.	Dettol Hand wash	Standard Quality	25 No.
11.	Dettol liquid (1 litre)	Standard Quality	15 No.
12.	Discarder (Small)	Standard Quality	6 No.
13.	Door mat	Standard Quality	4 No.
14.	Dust bin	Standard Quality	6 No.
15.	Dust cleaning scoop	Standard Quality	4 No.
16.	Eraser	Standard Quality	2 pkt
17.	Fevicol - big	Standard Quality	4 nos
18.	Hand sanitizer (big)	Standard Quality	25 No.
19.	Harpic (1 litre)	Standard Quality	10 No.
20.	Hit spray (Insect killer)	Standard Quality	2 No.
21.	Lysol (1 litre)	Standard Quality	10 No.
22.	Note book (Spiral)	Standard Quality	25 No.
23.	Pen Blue	Standard Quality	10 pkt
24.	Pen Marker	Standard Quality	5 pkt
25.	Pencil	Standard Quality	5 pkt
26.	Phenyl	Standard Quality	10 No.
27.	Plastic Bucket (20L)	Standard Quality	5 No.
28.	Plastic mug - Big	Standard Quality	2 No.
29.	Plastic tray (Medium)	Standard Quality	2 No.
30.	Register note book (big)	Standard Quality	10 No.
31.	Room freshener	Standard Quality	5 No.
32.	Scale (Steel - 30cm)	Standard Quality	2 nos
33.	Scissors	Standard Quality	4 nos
34.	Sink cleaning brush	Standard Quality	2 No.
35.	Spray bottle (Plastic)	Standard Quality	10 No.
36.	Stadiometer (Self-standing)	Standard Quality	1 No.
37.	Stapler - Small	Standard Quality	2 No.

No.	Item	Standard Quality	Quantity
38.	Stapler pins - Small	Standard Quality	10 pkt
39.	Stick file (Plastic) 10/pk	Standard Quality	10 pkt
40.	Tag files	Standard Quality	25 No.
41.	Towel - Medium	Standard Quality	10 No.
42.	Towel - Small	Standard Quality	10 No.
43.	Envelope Covers (A4 Size)	Standard Quality	100 Nos.
44.	Envelope Covers (9" X 4")	Standard Quality	100 No.
45.	Bleaching powder (1kg)	Standard Quality	25 No.
46.	Detergent (1kg)	Standard Quality	10 No.
47.	Torchlight (big)	Standard Quality	2 No.
48.	Board Pin	Standard Quality	01 pkt.
49.	Register Copy	Standard Quality Lined Ruled No. 5	05 Nos.
50.	Register Copy	Standard Quality Lined Ruled No. 6	05 Nos.
51.	Stock Book Register	Standard Quality Lined Ruled No. 8	05 Nos.
52.	Cash Book Register(Double entry system based quality)	Standard Quality Lined Ruled No. 6 & 8	10 Nos.
53.	LED Blub 15watt	Standard Quality	10 Nos.
54.	Tubelight CFL	Standard Quality	10 Nos.
55.	CFL Blub 20watt	Standard Quality	05 Nos.
56.	LED Blub 20watt	Standard Quality	
57.	Collection Pan	Standard Quality	10 Nos.
58.	Calculator Machine(12 Digit)	Standard Quality	05 Nos.
59.	Drinking Water glass	Standard Quality	12 Nos.
60.	Computer Ink	Standard Quality 88A HP Razor	15Nos
61.	Mop(Big and Small)	Standard Quality	04 Nos.
62.	Cello tape - Big size	Standard Quality	02

 22/3/23
 Dr. Subrata Baidya
 Member Secretary
 MRHRU, Tripura State
 Kherengbar, Khumlung

Dr. Subrata Baidya
Member Secretary
MRHR - Tripura

Copy to:

1. The Principal, Agartala Government Medical College, Agartala for information and with a request to arrange to display in the Notice Board.
2. The Medical Superintendent, GBP Hospital, Agartala for information and with request to arrange to display in the Notice Board.
3. PWD Office, Khumlung, for information and with request to arrange to display in the Notice Board.
4. Kherengbar hospital complex, Khumlung, for information and with request to arrange to display in the Notice Board.



Model Rural Health Research Unit (MRHRU)
Department of Health Research
Ministry of Health & Family Welfare, Government of India
Khumulwng, Tripura: 799045

F.No.3(Sub.F.1) /Procurement/ MRHRU/ Trip-2018-19

Dated, Agartala the 22nd March,23

Notice Inviting Quotation

Notice inviting quotation in sealed cover is hereby invited by the Member Secretary, MRHRU Tripura State from the reputed firm/authorized distributor/agent/Dealer/Supplier Manufacturer for Supply Essential Lab items for use in MRHRU, Kherengbar Khumulwng, Tripura State.


The list of Laboratory items is enclosed with this notice.

Rate should be quoted in the prescribed format enclosed with the Notice.

The last date of receiving quotation is up to 4 p.m of 07-04-2023_by registered post/ Speed post/ Courier services.

Terms and Conditions

1. Quotation in sealed cover address to the Member Secretary, MRHRU, Kherengbar Khumulwng, Tripura State should reach on or before 4.00 PM of 7th April,2023 by Speed Post/Courier/Registered Post only.
2. Quotation received after stipulated date & time will be rejected.
3. On the top of envelope, Supply of reagents for use in "MRHRU, Kherengbar Khumulwng Hospital Campus, Tripura" should be mentioned and Quotationer's full name and address with phone should also be mentioned on the envelop.
4. The quotation should mention the rate of each item distinctly. Correction over use of correcting fluid in the figure, words will not be entertained/ accepted.
5. The rate should be quoted inclusive of all GST and supply should be made on F.O.R. door delivery basis.
6. The evaluation of the bids should not only be based on criteria on lowest cost alone but the quality will also be considered.
7. No enhancement in rates within the validity period of contract will be entertained.
8. The Quotation will be accepted on lowest rate and quality basis.
9. The Quotation will remain valid for one year and undersigned has reserved right to extend the validity for further period in consultation with the successful bidder.
10. Supply should be completed within 30 (Thirty) days from the date of issue of supply order.
11. A penalty @ 1% of total value must be charged for every week or part of week delay beyond the stipulated period.
12. If any items supplied are found "Not of Standard quantity" the items should be taken back and stock will have to be replaced at own cost of supplier.
13. In case of legal dispute the Jurisdiction will be the High Court of Tripura, Agartala.
14. The quotation should accompany with up to date GST registration certificate, Professional Tax clearance Certificate and PAN Card & relevant trade licenses should be provided.
15. Income tax, as per prescribed rate of the Govt. may be deducted as per existing rule.


Dr. Subrata Baidya
Member Secretary
MRHRU, Tripura State
Kherengbar, Khumulwng.


Dr. Subrata Baidya
Member Secretary
MRHRU - - Tripura



Model Rural Health Research Unit (MRHRU)
Department of Health Research
Ministry of Health & Family Welfare, Government of India
Khumulwng, Tripura: 799045

29/03/2023


S.No	Name	Specification/Quality	Quantity
1.	Sterile cotton swabs	Woodenstick,150X2.5mm, Individually packed	250
2.	Water - Molecular Grade	100ml; Sterile	10
3.	Disposable Masks	Standard Quality	500
4.	Parafilm	4"X125', Thermoplasticandsemi- transparent film.	1
5.	Self-adhesive Autoclave Tape	Standard Quality	1
6.	L-Spreader	Sterile, Disposable	100
7.	Metaloop- SS-2	FixednichromeloopembeddedinSSrod with heat-resistant handle. Calibrated to 0.005 ml. Diameter - 2.2 mm	10
8.	Metaloop CH-2	Changeablenichromeloopembeddedin Brass rod with heat-resistant handle. Diameter - 2 mm	8
9.	Spirit lamp	Stainlesssteelspiritlampwithcap;63X 63mm; 125ml	2
10.	Immersion Oil	10ml; Standard Quality	1
11.	Centrifuge tubes	15ml; Sterile; Individual packed	100
12.	Centrifuge tubes	50ml; Sterile; Individual packed	100
13.	HICombat Microbiology spillage kit	Standard Quality	2
14.	Spatula-200	Stainless steel; length - 200mm	5
15.	Sterile Clinicol	Spoon attachment; 77 X 25mm; 20ml	200
16.	Digital Micro pipette, 0.5-10ul	Autoclavable, Increment 0.01ul	1
17.	Digital Micro pipette, 2-20ul	Autoclavable, Increment 0.02ul	1
18.	Digital Micro pipette, 20-200ul	Autoclavable, Increment 0.2ul	1
19.	Digital Micro pipette, 100-1000ul	Autoclavable, Increment 1.0ul	1
20.	Permanent Marker, Blue, Black	Standard Quality	10
21.	10µl tips	STERILE; Natural MiniRacks of 960/pk	2
22.	20µl tips	UniversalGraduationRackedFilterTip of 960/pk, Sterile	2
23.	200µl tips	STERILE; Natural MiniRacks of 960/pk	2
24.	1000µl tips	STERILE Natural MiniRacks of 1000/pk	2
25.	Cryogenic Vial	1.8ml, Sterilized; Graduated; 500/pk	1
26.	Pipette station	Standard Quality	2
27.	Serological Pipettes	5 ml, Sterilized, Individual packed	50
28.	Rack for Micro tube	Standard Quality	5
29.	SkincareBlueNitrilegloves (Medium)	50 pairs; Standard Quality	5
30.	Skincare Blue Nitrile gloves (Large)	50 pairs; Standard Quality	5
31.	pipette tips, Bulk pp (0.2-10)	500/pk; Standard Quality	2


Dr. Sub. ta Baidya
Memb. Secretary
MRHR - Tripura

32.	pipette tips, Bulk pp (2-200)	500/pk; Standard Quality	2
33.	pipette tips, Bulk pp (100-1000)	500/pk; Standard Quality	2
34.	Micro Centrifuge tubes (1.5ml)	500/pk; Transparent; Standard Quality	2
35.	Micro Centrifuge tubes (2ml)	500/pk; Transparent; Standard Quality	2
36.	Weighing boats, PS	46 x 46 x 8 mm; Plastic	250
37.	Pasteur Pipette	Sterile; 3ml; Individual packed	100
38.	Parafilm M Dispenser	4"X125'dimensionparafilm;Standard Quality	1
39.	Alcohol swabs	Standard Quality	500
40.	Needle Cutter	Standard quality ISI marked(portable) Should be able to destroy needles of typo upto 18G	02 nos.
41.	BP measuring instrument (Mercury)	Standard quality ISI marked <ul style="list-style-type: none"> ● 0 to 300 mm of Hg scale, fine numbering and durable background contrast paint for clear visibility. ● Special control valve for perfect pressure drop. ● Best quality cuff for getting excellent grip. ● Surface plating adapted to all exposed metal parts to prevent corrosion. Classic epoxy powder coating to the body of the apparatus to withstand in any climate. 	01 nos.
42.	BP measuring instrument (Digital)	Standard quality ISI marked <ul style="list-style-type: none"> ● Minimum Pressure Measurement Range: 40 mmHg ● Maximum Pressure Measurement Range: 230 mmHg ● Minimum Pulse Measurement Range: 40 beats/min ● Maximum Pulse Measurement Range: 199 beats/min ● Pulse Measurement Accuracy: (+/-) 5% ● Pressure Measurement Accuracy: (+/-) 3 mmHg 	01 nos.
43.	Stethoscope	Standard quality	02 nos.
44.	Test Tube stand , material RPP	Standard quality	04 nos.
45.	Clot activator (5ml)	Standard quality 100nos./pkt.	10 pkt
46.	Cryo Box with lid for storage of 1.8 ml and 2ml cryo vials with no. on lid and on the box for 96 vials/box(4nos)	Standard quality 4nos./box	10 pkt
47.	Bleaching reagent Sodium hypochlorite (5%)	Standard quality	10 Lit.
48.	Storage vial (with washer, flat bottom and autoclavable) 2ml/1000 no's	Standard quality 1000nos./pkt	10 pkt
49.	Test tube rack (medium size, for holding 20 no. of 5 ml test tube)	Standard quality	04 nos.
50.	Cotton	Standard quality 500gm/pkt	20 nos.
51.	Pasteur pipette, 5ml	Standard quality	05 nos.
52.	Glucometer	Standard quality <ul style="list-style-type: none"> ● Assay Method-Glucose Oxidase biosensor ● Unit of measure-mg/dl ● Time to Results-Average test time is 5 seconds ● Specimen Volume- 1.0 μL 	


Dr. Sub. ...
Vand. ...
...

		<ul style="list-style-type: none"> ● Specimen Type-Fresh capillary whole blood ● Calibration-Plasma-equivalent 	
53.	Glucometer Strips	Standard quality	100 nos.
54.	Glucometer Lancets	Standard quality	04 box
55.	Measuring Cylinder, 100 ml	Standard quality <ul style="list-style-type: none"> ● Product Features: High temperature resistant, acid and alkali resistant, with good stability. ● Design: The surface is smooth and beautiful. Measuring Cylinder is suitable for mixing heated liquids, and the scale is clear and easy to read. 	05 nos.
56.	Measuring Cylinder, 500 ml	Standard quality <ul style="list-style-type: none"> ● Product Features: High temperature resistant, acid and alkali resistant, with good stability. ● Design: The surface is smooth and beautiful. Measuring Cylinder is suitable for mixing heated liquids, and the scale is clear and easy to read. 	04 nos.
57.	Aluminium Tray (Surgical purpose)	Standard quality	02 nos.
58.	Petri Dish	Standard quality	10 nos.
59.	Height Measuring Scale for Adult(Measuring Scale Stadiometer)	Standard quality <ul style="list-style-type: none"> ● Height measuring scale:Floor model without weighing scale. Measuring range: 20 - 210 cm with 1mm graduation. Measuring in inches and centimeters. Height stand disassembles into 4 sections and easy to transport in disassembled condition ● Suitable for height measuring at any location. Accurate, portable, durable and light weight with all plastic parts ● Well designed and Simple Assembly, Skid-proof Foot plate, Accurate and Precise readings ● It has firm vertical stand with easy fold-up for simple set-up with firm & tight fixations 	02 nos.
60.	Weighing machine for Adult(Digital)	Standard quality <ul style="list-style-type: none"> ● Toughened glass top ● Waterproof ● Battery operated ● Battery power saving by switching off Display while no weight on the scale ● LCD display 	01 nos.
61.	Weighing machine for Adult(Mechanical)	Standard quality <ul style="list-style-type: none"> ● Weighing Capacity: 130 kg ● Round Edges Design ● Easy-to-Read Scale Display ● Full Metal Body Design for Long Life ● Personal Mechanical Weighing Machine ● Anti-Slippery Surface ● Rust Proof Coating 	01 nos.
62.	Cryo Labels, 1000per pack	Standard quality In different colours these lables should withstand temperature ranging from -4°C to 121C. 3.25x1.27C	04 box
63.	Cryo gloves for deep freezer	Standard quality	01 nos.
64.	Aluminium foil	Standard quality Length 72 m , 11 microns good gradealuminium foil for packing food	05 nos.


Dr. Subota Baidya
 Memb. Secretary
 MRHR - Trioura

65.	2 ml disposable Syringes with needle	Standard quality	05 box
66.	5 ml disposable Syringes with needle	Standard quality	10 box
67.	Sprit surgical (ether Alcohol)	Best quality	10 bottol
68.	Sodium Fluoride tube (colour-Gray), Vial-5ml	Standard quality 100 nos./pkt	02 pkt
69.	Polymer gel with clot activator tube (Commonly known as serum separator tube) Colour-Gold, 5ml	Standard quality 100 nos./pkt	10 pkt
70.	EDTA tube (Colour- Purple/ Lavender) , 5ml	Standard quality 100 nos./pkt	02 pkt
71.	Biohazard Bag(0.05mm thick polypropylene) Black	Standard quality	20 nos.
72.	Biohazard Bag(0.05mm thick polypropylene) Red	Standard quality	20 nos.
73.	Biohazard Bag(0.05mm thick polypropylene) Green	Standard quality	20 nos.
74.	Biohazard Bag(0.05mm thick polypropylene) Blue	Standard quality	20 nos.
75.	Biohazard Bag(0.05mm thick polypropylene) Yellow	Standard quality	20 nos.
76.	Biohazard Bag(0.05mm thick polypropylene) White(transparent)	Standard quality	20 nos.
77.	Medistrip Band aids(Round)	Standard quality 100 nos./box	05 box
78.	Dropper a) 1-5ml b) 5-10 ml	Standard quality	10 nos. each
79.	Distilled Water	Standard quality	20 Lit.
80.	Ethanol, 500ml (Analytical grade)	Standard quality	05 nos.
81.	Tissue paper	Standard quality	10 nos.
82.	Hand sterilizer, 500 ml	Standard quality	10 nos.
83.	Pasteur pipette Stand	Standard Micro pipette,	01 nos.
84.	Thermometer (Digital)	Standard quality <ul style="list-style-type: none"> For oral, rectal and underarm temperature measurement 3-digit, + degree celcius (degree fahrenheit) display in 0.1 degree increment, beeps when measurement is completed. Measurement Accuracy : ± 0.1 degree celcius (32.0 to 42.0 degree celcius) ± 0.2 degree fahrenheit (89.6 to 107.6 degree fahrenheit) Auto off function : Approximately 30 minutes after use or 3 minutes when not been used 	21 nos. each
85.	Thermometer (Mercury)	Standard quality <ul style="list-style-type: none"> Temperature range: 35° Celsius (94° Fahrenheit) - 42° Celsius (108° Fahrenheit) Precision of 0.1 on the Celsius scale and 0.2 on the Fahrenheit scale 	02 nos. each
86.	pH paper	Standard quality <ul style="list-style-type: none"> pH range from 1-14 The test strip color changes must be matched with the pH scale color chart within about 15 seconds Eco Friendly 	20 nos.

87.	Filters for Accurex Fully Automated Clinical Chemistry Analyzer (SPHERA)	700nm	01
88.	Filters for Accurex Fully Automated Clinical Chemistry Analyzer (SPHERA)	600nm	01
89.	Filters for Accurex Fully Automated Clinical Chemistry Analyzer (SPHERA)	578nm	01
90.	Filters for Accurex Fully Automated Clinical Chemistry Analyzer (SPHERA)	505nm	01


 Dr. Subrata Baidya **Dr. Subrata Baidya**
 Member Secretary **Member Secretary**
 MRHRU, Tripura State **MRHR - - Tripura**
 Kherengber, Khumlung

Copy to:

1. The Principal, Agartala Government Medical College, Agartala for information and with a request to arrange to display in the Notice Board.
2. The Medical Superintendent, GBP Hospital, Agartala for information and with request to arrange to display in the Notice Board.
3. PWD Office, Khumlung, for information and with request to arrange to display in the Notice Board.
4. Kherengber hospital complex, Khumlung, for information and with request to arrange to display in the Notice Board.